References/Bibliography:

1. Ott I., Gust R.(2007), Non Platinum Metal Complexes as Antiancer Drugs, Arch. Pharm.Chem. *Life*, **340**: 117
2. Jakupec M. A.,Galanski M., Arion V.B., Hartinger C. G., Keppler B.K.(2008), Antitumor Metal compounds: more than theme and variations,*Daton Trans*.,183
3. Yang P., Guo M.(1999), Interactions of organometallic anticancer agentswith nucleotides and DNA, *Coord.Chem.Rev*.,**185**: 189
4. Gust R., Posselt D., Sommer K.(2004), Development of Cobalt(3, 4-diarylsalen) complexes asTumor Therapeutics, *J. Med. Chem*.,**47** : 5837
5. Mahalakshmi N., Rajavel R. (2010), Binuclear Copper (II), Nickel(II), and Oxovanadium(IV) Schiff base complexes bearing N_2O_2 donors and their DNA cleavage and antibacterial activity, *Inter.Nat.J. Pharm.Tech*. **2(4)** : 1133
6. Mapari A. K., Hate M. S., Mangaonkar K. V.(2011), Synthesis, Characteriztion and antimicrobial activity of mixed Schiff base ligand complexes of Cobalt(II), Copper (II), Nickel(II) and Zinc(II), *E.J. Chem*.,**8(3)** :1258
7. Halli M. B. , Patil V.B.(2011) Synthesis, Spectral Characteriztion and DNA cleavage studies of Cobalt(II), Copper (II), Nickel(II) ,Zinc(II), Cadmium, Mercury(II) complexes with benzofuran-2-carbohydrazide Schiff bases, *Indian J. Chem*. ,**50A** :664
8. Mancin F., Tecilla P.(2007) Zinc(II) complexes as hydrolytic catalyst of phosphate diester cleavage: from model substrates to nucleic acids, *N.J. Chem*.,**31**: 800
9. Jarrahpour A.A., Motamedifar M., Pakshir K., Zarei M. (2004), Synthesis of novel azo Schiff bases and their antibacterial and antifungal activities. *Molecules*, **9**: 815
10. Dean R.K., Granville S.L., Dawe L.N., Decken A., Hattenhauer K.M., Kozak C. M.(2010)Structure and magnetic behaviour of mono-and bimetallic chromium(III) complexes of amin-bis(phenolate ligands, *Dalton Trans*.**39**: 548

11. Latha K.P., Vaidya V.P. , Keshavayya (2004), Comparative Studies on Metal Complexes of 2-Acetylnaphtho [2,1-b]furan Oxime and 2-Benzoylnaphtho[2,1-b]furan Oxime, *Synth. React. Inorg- Met-Org. Chem.* **34(4)**: 667
12. Rajendiran V., Murali M., Suresh E., Sinha S.Somasundaram K., Palaniandavar M.(2008), Mixed ligand ruthenium(II) complexes of bis(pyrid2-yl)-/bis(benzmidazol-2-yl)-dithioether and diimines: study of non-covalent DNA binding and cytotoxicity, *Dalton Trans*.,148
13. Chittilapilly P.S., Yusuf K.K.M.(2008) Synthesis, characterization and biological properties of ruthenium(III) Schiff base complexesderived from 3-hydrxy quinoxaline-2-carboxaldehyde and salicylaldehyde, *Indian J. Chem*.,**47A** :848
14. Anbu S., Kandaswamy M., Varghese B.(2010) Structural, electrochemical, phosphate-hydrolysis, DNA binding and cleavage studies of new macrocyclicbinuclear nickel(II) complexes, *Dalton Trans*., **39** :3923
15. Sun R.W.Y., Ma D.L. Wong E.L.M., Che C.L.(2007) Some uses of transition metal complexesas anticancer and anti-HIV agents, *Dalton Trans*., 4884
16. Singh N.K., Singh S.B., Singh N.Shrivastav A.(2003) Synthesis, characterization and antitumor studies of N-aroyl-N'-thioaroylhydrazies and their Cobalt(II), Copper (II), Nickel(II) ,Zinc(II), complexes, *Biometals,* **16** : 471
17. KwonY.E., WhangK.J., Park Y.J., Kim K.H.(2003) Synthesis, characterization and antitumor activity of novel octahedral Platinum(IV) complexes, *Bioorg.Med. Chem*., **11**:1669
18. Nayak V.M., Mallur (2011)) Synthesis, characterization of lanthanide(III) nitrate complexeswith tetradentate ONO donor hydrazone derived from 2-benzimidazolyl mercaptoaceto hydarzide and O-hydroxy aromatic aldehyde , *E.J.Chem*., **8(4)**: 1900
19. Li L.Z.,Zhao C.,Xu T., Ji H.W., Yu Y.H., Guo G.Q. ,Chao H.(2005), Synthesis, Crystal Structure and Nuclease activity of a Schiff base copper (II) complex, *J Inorg. Biochem.*, **99** :176
20. Golcu A., Tumer M., Demirelli H., WheatleyR.A.(2005), Cadmium and copper (II) complexes of polydentate Schiff base ligands:synthesis, characterization, properties and biological activity,*Inorg. Chem. Acta*, **358** :1785

21. Kannan S. , Ramesh R.(2006), Synthesis, characterization , catalytic oxidation and biological activity of ruthenium(III) Schiff base complexes drived from3-acetyl 6-methyl-2H- pyran-2, 4(3H) dione, *Polyhedron*, 25 : 3095
22. Higgins S.L.H., White T.A., Winkel B.S.J., Brewer K.J.(2010), Redox Spectroscopic and photophysical properties of ruthenium-platinum mixed metal complexes incorporating4, 7 diphenyl-1,10 phenanthroline as efficient DNA bindig and photocleavage agents, *Inorg. Chem.*, **50** : 463
23. Titinchi S.J.J., Abbo H. S. , Saeed A.A.H.(2004), synthesis, spectroscopic and molecular structures investigations of some carboxy lated Schiff bases, *J. Molecul. Struct*., **705** : 121
24. Bhat S.S., Kumbhar A.A., Heptullah H., Khan A.A. , Gobre V.V., Gejji S.P., Puranik V.G., Synthesis, electronic structure ,DNA & Protein binding, DNA cleavage and anticancer activityof fluorophore labelled copper (II) complexes, Inorg. Chem.,50 : 545
25. Sasmal P.K., Patra A.K., Nethaji M., Chakravarty A.R.(2007), DNA cleavage by new Oxovanadium(IV) complexes of N salicylidine alpha –aminoacids and phenathroline base in photodynamic therapy window, *Inorg. Chem*.,**46** :11112
26. Rajendiran V., Pallaniandavar R.K.M., Evans H.,PeriasamyV.S., Akbarsha M.A.K.,Srinag B., Krishnamurthy H.(2007), Mixed copper(II) phenolate complexes : effects of coligand on enhanced DNA & protein binding, DNA cleavage and anticancer activity, Inorg. Chem., **46** : 8208
27. Karipcin F. , Kabalcilar E. (2007), Spectroscopic and Thermal on solid complexes of 4-(2-pyridylazo) resorcinol with some transition metals, *Acta. Chem. Slov.*, **54** : 242
28. Guerra K.P. , Dalgado R. (2008), Homo and heterodinuclear complexes tris(Catecholamide) derivative of a tetraazamacrocycle with Fe(III), Co(II),and Zn(II *Dalton Trans*., 539
29. Liu M.L, Dou, J.M., QiWang D.D. , Cui J.Z. (2012), Synthesis, structural characterization and thermal properties of three Cu(II) complexes based on aryl hydrazide *Transition M.Chem*., **37**:117
30. Banerjee J., Ghosh R., Rahamann S., Dan P. K. , Ghosh B. K. (2008), Synthesis , characterization and properties of mono- di and polynuclear nickel (II) pseudohalide

complexes containing bidentate Shiff bases, X ray structure of $(Ni(N^i, N^p)_2 (NCS)_2[N^i, N^p$ =N-((pyridin-2-y)benzylidine)benzylamine, *Indian J.Chem*., **47A**: 9

31. Chandra S. , Gupta L. (2005), Spectroscopic and biological studies on newly synthesized Ni(II) complexes of semicarbazones and thiosemicarbazones, *Spectrochimica Acta Part A*, **62** : 1089
32. Dubey R.K., Dubey U.K. , Mishra C.M. (2008), Synthesis and physicochemical characterization of some Schiff base complexs of chromium(III), *Indian J. Chem*., **47A:** 1208
33. 33.Chandra S. ,Parmar S. , Kumar Y. (2009), Synthesis and spectroscopic and antimicrobial studies on bivalent zinc and mercury complexes of 2-formyl pyridine thiosemicarbazone Bioinorg. Chem .Appl., , doi:10.1155/2009,851316
34. Pal N., Kumar M. , Seth G. (2011), Biologically important Ni(II) ternary complexes derived from 2-substituted benzothiazoles and amino acids, *E. J. Chem*., **8(3) :** 1174
35. Kumbh S. , Dhillon H., Singh U. , Pooja (2008), synthesis of multidentate ligands is reduction of Shiff base zinc (II) complex and their use for in situ synthesis of potentially biomemetic type complexes, *Indian J. Chem*., **47A** : 1508
36. Rahangdale M., Pethe G., Yaul A. , Aswar A. (2011), Spectral characterization and antimicrobial studies of some transition metal complexes with ONNO donor tetradentate ligand, *Res. J. Pharm. Biol. and Chem. Sc*., **2(3)** : 341
37. Mapari A.K., Hate M.S. , Mangaonkar K.V. (2011), Synthesis , characterization and antimicrobial activity of mixed Schiff base ligand complexes of Co(II), Ni(II), Cu(II) and Zn(II) *E.J.Chem*., **8(3) :** 258)